

# MATERIAL SAFETY DATA SHEET

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Harden X SI™  
 GENERAL USE: Concrete sealer  
 PRODUCT DESCRIPTION: Clear colorless liquid, slightly alkaline, may cause eye and skin irritation upon contact.



MANUFACTURER'S NAME SealSource International, LLC		DATE PREPARED: August 25, 2005	Page 1 of 4
ADDRESS (NUMBER, STREET, P.O. BOX) 348 W. Center Street		TELEPHONE NUMBER FOR INFORMATION (801) 224-3800	
(CITY, STATE AND ZIP CODE) Orem, UT 84057	COUNTRY USA	EMERGENCY TELEPHONE NUMBER Infotrac (800) 535-5053 Outside USA (352) 323-3500	
DISTRIBUTOR'S NAME Same			
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR INFORMATION	
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEPHONE NUMBER	

## SECTION 2 - HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	CAS #	% (by weight)	OSHA PEL		ACGIH TWA		SARA TITLE III	RQ LBS
			P P M	MG/M <sup>3</sup>	P P M	MG/M <sup>3</sup>		
Proprietary Ingredient A (*, a)	Not listed	5 - 10						1*
Proprietary Ingredient B (a)	Not listed	1 - 1						1*
Proprietary Ingredient C (a)	Not specified	1 - 5		Not established				

(\* ) The ACGIH Threshold Limit Value (TLV) has not been established nor has OSHA established the Permissible Exposure Limit (PEL) for this product, therefore the limits described have been established as guidelines by the manufacturer.

(a) The specific product is not identified due to "Trade Secret" status. In emergency situations further information may be obtained by the on - duty physician calling the emergency information number listed above. Reference 29 CFR 1910.1200 and / or 40 CFR 350.

## SECTION 3 - HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

Alkaline liquid, prolonged contact may cause skin & eye irritation. Ingestion may cause gastric distress. Hazard symbols for this product - None. R-Phrases - not classified.

### POTENTIAL HEALTH EFFECTS

INHALATION: Breathing concentrated vapors may cause irritation of respiratory tract.

SKIN: Prolonged contact may cause irritation.

EYES: Contact with eyes will cause irritation.

INGESTION: May cause gastric distress, vomiting and diarrhea.

CARCINOGENICITY NTP? No IARC MONOGRAPHS? No OSHA REGULATED? No

**MATERIAL SAFETY DATA SHEET**PRODUCT NAME: Harden X SI™  
August 22, 2005

Page 2 of 4

**SECTION 4 - FIRST AID MEASURES**

INHALATION: Remove affected person to fresh air; wash mouth and nasal passages with water repeatedly; if breathing difficulties persist seek medical attention.

SKIN: Wash contacted area with soap and water; DO NOT attempt to neutralize with chemical agents; if irritation persists, seek medical attention.

EYES: Remove contact lenses. Immediately flush eyes for 15 minutes in clear running water while holding eyelids open; seek medical attention immediately.

INGESTION: Drink large quantities of water or milk; DO NOT induce vomiting; seek medical attention immediately.

**SECTION 5 - FIRE FIGHTING MEASURES**FLASH POINT (METHOD USED)  
Non-flammable

FLAMMABLE LIMITS

LEL: Not applicable

UEL: Not applicable

AUTOIGNITION TEMPERATURE: Not determined

NFPA CLASS:

None

GENERAL HAZARDS: Product is alkaline. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

**EXTINGUISHING MEDIA**

Carbon dioxide, water, water fog, dry chemical, chemical foam.

**FIRE FIGHTING PROCEDURES**

Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released. Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes.

**UNUSUAL FIRE AND EXPLOSION HAZARDS**

None

**HAZARDOUS COMBUSTION PRODUCTS**

Smoke, fumes, oxides of carbon.

**SECTION 6 - ENVIRONMENTAL RELEASE MEASURES**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes. Wash small spills to sanitary sewer. Large spills - confine spill, soak up with approved absorbent, shovel product into approved container for disposal.

**SECTION 7 - HANDLING AND STORAGE**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children.

**SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION****ENGINEERING CONTROLS**

The use of local exhaust ventilation is recommended. Use corrosion-resistant ventilation equipment.

**PERSONAL PROTECTION:**

RESPIRATORY PROTECTION (SPECIFY TYPE): None required while threshold limits (Section 2) are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.

PROTECTIVE GLOVES: Neoprene or rubber gloves with cuffs.

EYE PROTECTION: Goggles with side shields; safety eyebath nearby.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to minimize skin contact.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

**MATERIAL SAFETY DATA SHEET**

PRODUCT NAME: Harden X SI™  
August 22, 2005

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

VAPOR PRESSURE 17 mm Hg @ 20° C	VAPOR DENSITY (AIR = 1) < 1
SPECIFIC GRAVITY (WATER = 1) 1.106	FREEZING POINT 32° F (0° C)
SOLUBILITY IN WATER Appreciable (> 95%)	APPEARANCE AND ODOR Clear to light amber liquid, practically odorless
pH Approximately 11.0	PHYSICAL STATE Liquid
BOILING POINT 212° F (100° C)	EVAPORATION RATE (WATER = 1) < 1
VISCOSITY Like that of water	VOLATILE ORGANIC COMPOUNDS (Total VOC's) None

**SECTION 10 - STABILITY AND REACTIVITY**

STABILITY UNSTABLE: STABLE: XXX	CONDITIONS TO AVOID: Extreme temperatures, keep from freezing.
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids.	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon and lithium, hydrocarbons, fumes, and smoke may be produced.	
HAZARDOUS POLYMERIZATION WILL NOT OCCUR: XXX	CONDITIONS TO AVOID: None

**SECTION 11 - TOXICOLOGICAL INFORMATION**

Hazardous Ingredients	%	CAS #	LC50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
Proprietary Ingredient A (*, a)	5 - 10	Not listed	16,540 mg / kg Oral - rat	Not established
Proprietary Ingredient B (. a*)	1 - 10	Not listed	Not established	960 mg/m3/4H
Proprietary Ingredient C (a)	1 - 5	Not listed	Not established	Not established

**SECTION 12 - ECOLOGICAL INFORMATION**

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations for alkaline materials. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.

**SECTION 14 - TRANSPORT INFORMATION**

PROPER SHIPPING NAME:	Not Regulated	IATA HAZARD CLASS / Pack Group:	None
HAZARD CLASS / Pack Group	None / None	IMDG HAZARD CLASS:	None
REFERENCE:	Not Applicable	RID / ADR Dangerous Goods Code:	None
IDENTIFICATION NUMBER:	None	UN TDG Class / Packaging Group:	None
LABEL:	None Required	HAZARD SYMBOLS:	None

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EC, Canadian TDG, and United Nations TDG, and information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

**MATERIAL SAFETY DATA SHEET**

PRODUCT NAME: Harden X SI™  
August 22, 2005

**SECTION 15 - REGULATORY INFORMATION**

**TSCA (USA - Toxic Substance Control Act)**

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

**SARA TITLE III (USA - Superfund Amendments and Reauthorization Act)**

311/312 Hazard Categories  
None

313 Reportable Ingredients:  
None

**CERCLA (USA - Comprehensive Response Compensation and Liability Act)**

None

**CPR (Canadian Controlled Products Regulations)**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**IDL (Canadian Ingredient Disclosure List)**

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

**DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)**

Components of this product identified by CAS number are listed on the DSL or NDSL, and may or may not be listed in Section 2 of this document. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

**EINECS (European Inventory of Existing Commercial Chemical Substances)**

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances

**Risk Phrases**

Not classified

**EC Safety Phrases**

S24/25 Avoid contact with skin and eyes  
S28 After contact with skin, wash immediately with plenty of soap and water.

**SECTION 16 - OTHER INFORMATION**

No specific notes.

HMIS HAZARD RATINGS	HEALTH	1	0 = INSIGNIFICANT	3 = HIGH
	FLAMMABILITY	0	1 = SLIGHT	4 = EXTREME
	PHYSICAL HAZARD	0	2 = MODERATE	
	PERSONAL PROTECTIVE EQUIPMENT	C	Safety Glasses, Gloves, Apron	

**REVISION SUMMARY:**

This MSDS has been revised in the following sections:  
Section 2, all items proprietary

MSDS Prepared by: Comprehensive Data Base, Inc.  
P.O. Box 5604  
Lakeland, FL 33807 USA  
(863) 644 - 3298 www.compdatabase.com

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.